Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	90	(cts near3 flag)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/27 10:07
L2	44	(cts near3 flag) and status	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/27 10:07
L3	34	(cts near3 flag) and status and (@ad<"20010920")	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/27 10:08
L4	10	(cts near3 flag) and status and indicator and (@ad<"20010920")	US-PGPUB; USPAT; USOCR	OR .	ON	2005/05/27 10:10
L5	16	(((clear\$\$send) or cts) near3 flag) and status and indicator and (@ad<"20010920")	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/27 10:10
L6	0	(((clear\$\$send) or cts) near3 flag) and status and (file near4 indicat\$3) and (@ad<"20010920")	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/27 10:11
L7	12	(((clear\$\$send) or cts) near3 flag) and status and (acknowledg\$4) and (@ad<"20010920")	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/27 10:11
S1	91	((clear\$\$send or cts) near3 flag)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:12
S2	10	((clear\$\$send or cts) near3 flag) and (sequenc\$3 near4 indicat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:14
S3	0	((clear\$\$send or cts) near3 flag) and (file near4 indicat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:14
S4	0	((clear\$\$send or cts) near3 flag) and (file near4 sequenc\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:15
S5	0	((clear\$\$send or cts) near3 flag) and (trasnfer\$4 near4 file)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:15
S6	20	((clear\$\$send or cts) near3 flag) and (data near4 file)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:16
S7	19	((clear\$\$send or cts) near3 flag) and (acknowledg\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:22
S8	17	((clear\$\$send or cts) near3 flag) and assert\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:23

S9	0	((clear\$\$to\$\$send) near3 flag) and assert\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:23
S10	6	((clear\$\$to\$\$send) near3 flag)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:24
S11	52	((clear adj3 send) near3 flag)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:24
S12	12	((clear adj3 send) near3 flag) and assert\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:27
S13	0	(cts near3 flag) and (number near3 portability)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:28
S14	0	(cts near3 flag) and (local near3 portability)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:29
S15	20	(cts near3 flag) and (wireless)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:31
S16	0	(cts near3 flag) near5 assert\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:31
S17	112	(cts near5 assert\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:31
S18	76	(cts near5 assert\$3) and (sequenc\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:32
S19	0	(cts near5 assert\$3) and (file near3 sequenc\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:32
S20	36	(cts near5 assert\$3) and (sequenc\$3) and indicator	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:35
S21	49	(cts near5 assert\$3) and (acknowledg\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 14:40
S22	39	(cts near5 assert\$3) and "370"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 15:03
S23	74	(cts near5 assert\$3) and monitor\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 15:05
S24	37	(cts near5 assert\$3) and (multiple near3 system)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/18 15:06



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

(cts <near/5> flag)

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survev

Terms used cts near/5 flag

Found 77 of 8,573

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

Results 1 - 20 of 77

Result page: 1 2 3 4

1 Solutions to hidden terminal problems in wireless networks

Chane L. Fullmer, J. J. Garcia-Luna-Aceves

October 1997 ACM SIGCOMM Computer Communication Review, Proceedings of the ACM SIGCOMM '97 conference on Applications, technologies, architectures, and protocols for computer communication, Volume 27 Issue 4

Full text available: pdf(1.72 MB)

Additional Information: full citation, abstract, references, citings, index

next

The floor acquisition multiple access (FAMA) discipline is analyzed in networks with hidden terminals. According to FAMA, control of the channel (the floor) is assigned to at most one station in the network at any given time, and this station is guaranteed to be able to transmit one or more data packets to different destinations with no collisions. The FAMA protocols described consist of non-persistent carrier or packet sensing, plus a collisionavoidance dialogue between a source and the intend ...

2 A hybrid collision avoidance scheme for ad hoc networks

Yu Wang, J. J. Garcia-Luna-Aceves

July 2004 Wireless Networks, Volume 10 Issue 4

Full text available: pdf(140.90 KB) Additional Information: full citation, abstract, references, index terms

A novel hybrid collision avoidance scheme that combines both sender-initiated and receiverinitiated collision-avoidance handshake is proposed for multi-hop ad hoc networks. The new scheme is compatible with the popular IEEE 802.11 MAC protocol and involves only some additional queue management and book-keeping work. Simulations of both UDP- and TCPbased applications are conducted with the IEEE 802.11 MAC protocol, a measurementbased fair scheme and the new scheme. It is shown that the new sch ...

Keywords: ad hoc networks, collision avoidance, fairness, medium access control, receiver-initiated, sender-initiated

Transmission range effects on AODV multicast communication Elizabeth M. Belding-Royer, Charles E. Perkins December 2002 Mobile Networks and Applications, Volume 7 Issue 6

· Additional Information: full citation, abstract, references, citings, index Full text available: pdf(367.29 KB)

As laptop computers begin to dominate the marketplace, wireless adapters with varying

Full text available: pdf(333.92 KB)

bandwidth and range capabilities are being developed by hardware vendors. To provide multihop communication between these computers, ad hoc mobile networking is receiving increasing research interest. While increasing a node's transmission range allows fewer hops between a source and destination and enhances overall network connectivity, it also increases the probability of collisions and reduces the effective ...

Keywords: ad hoc networks, mobile networking, multicast, wireless networks

Floor acquisition multiple access (FAMA) in single-channel wireless networks
J. J. Garcia-Luna-Aceves, Chane L. Fullmer
October 1999 Mobile Networks and Applications, Volume 4 Issue 3

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

The FAMA-NCS protocol is introduced for wireless LANs and ad-hoc networks that are based on a single channel and asynchronous transmissions (i.e., no time slotting). FAMA-NCS (for floor acquisition multiple access with non-persistent carrier sensing) guarantees that a single sender is able to send data packets free of collisions to a given receiver at any given time. FAMA-NCS is based on a three-way handshake between sender and receiver in which the sender uses non-persistent carrier sensin ...

The detection and elimination of useless misses in multiprocessors

Michel Dubois, Jonas Skeppstedt, Livio Ricciulli, Krishnan Ramamurthy, Per Stenström

May 1993 ACM SIGARCH Computer Architecture News, Proceedings of the 20th

annual international symposium on Computer architecture, Volume 21 Issue 2

Additional Information: full citation, abstract, references, citings, index

Full text available: pdf(1.03 MB)

Additional Information: full citation, abstract, references, citings, index terms

In this paper we introduce a new classification of misses in shared-memory multiprocessors based on interprocessor communication. We identify the set of essential misses, i.e., the smallest set of misses necessary for correct execution. Essential misses include cold misses and true sharing misses. All other misses are useless misses and can be ignored without affecting the correctness of program execution. Based on the new classification we compare the effectiveness of five different protoc ...

6 PARO: supporting dynamic power controlled routing in wireless ad hoc networks Javier Gomez, Andrew T. Campbell, Mahmoud Naghshineh, Chatschik Bisdikian September 2003 Wireless Networks, Volume 9 Issue 5

Full text available: pdf(311.95 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper introduces PARO, a dynamic power controlled routing scheme that helps to minimize the transmission power needed to forward packets between wireless devices in ad hoc networks. Using PARO, one or more intermediate nodes called "redirectors" elects to forward packets on behalf of source-destination pairs thus reducing the aggregate transmission power consumed by wireless devices. PARO is applicable to a number of networking environments including wireless sensor networks, home networks ...

Keywords: ad hoc networks, power control, power optimization, routing protocols

⁷ A 100% portable inline-debugger
Jurgen Heymann

September 1993 ACM SIGPLAN Notices, Volume 28 Issue 9

Full text available: pdf(752.49 KB) Additional Information: full citation, index terms

8	Ad hoc networks: Detection and prevention of MAC layer misbehavior in ad hoc networks Alvaro A. Cárdenas, Svetlana Radosavac, John S. Baras	
	October 2004 Proceedings of the 2nd ACM workshop on Security of ad hoc and sensor networks	
	Full text available: pdf(120.54 KB) Additional Information: full citation, abstract, references, index terms	
	Selfish behavior at the MAC layer can have devastating side effects on the performance of wireless networks, similar to the effects of DoS attacks. In this paper we focus on the prevention and detection of the manipulation of the backoff mechanism by selfish nodes in 802.11. We first propose an algorithm to ensure honest backoffs when at least one, either the receiver or the sender is honest. Then we discuss detection algorithms to deal with the problem of colluding selfish nodes. Although we	
	Keywords: MAC layer, ad hoc networks, intrusion detection	
9	A lower bound for randomized algebraic decision trees	
	Dima Grigoriev, Marek Karpinski, Friedhelm Meyer auf der Heide, Roman Smolensky July 1996 Proceedings of the twenty-eighth annual ACM symposium on Theory of computing	
	Full text available: pdf(726.09 KB) Additional Information: full citation, references, citings, index terms	
10	Use of state diagrams to engineer communications software	
	Paul Chung, Barry Gaiman May 1978 Proceedings of the 3rd international conference on Software engineering	
	Full text available: pdf(517.21 KB) Additional Information: full citation, abstract, references, citings, index terms	
	This paper presents our experience with a variation on the use of state diagrams in the development of a communications system. The following techniques are described: - State diagram notation functions as the design language used to describe the functional specification of major program modules These modules are coded in a high-level language using the state diagrams as the program structure and specification The actual programs are used as input to a	
11	Industrial sessions: beyond relational tables: Coordinating backup/recovery and data	
	consistency between database and file systems Suparna Bhattacharya, C. Mohan, Karen W. Brannon, Inderpal Narang, Hui-I Hsiao,	
	Mahadevan Subramanian June 2002 Proceedings of the 2002 ACM SIGMOD international conference on	
	Management of data Full text available: pdf(1.44 MB) Additional Information: full citation, abstract, references, index terms	
	Managing a combined store consisting of database data and file data in a robust and consistent manner is a challenge for database systems and content management systems. In such a hybrid system, images, videos, engineering drawings, etc. are stored as files on a file server while meta-data referencing/indexing such files is created and stored in a relational database to take advantage of efficient search. In this paper we describe solutions for two potentially problematic aspects of such a data	
	Keywords: DB2, content management, database backup, database recovery, datalinks	

12	Wireless data: systems, standards, service	
	Antonio De Simone, Sanjiv Nanda	
	March 1995 Wireless Networks, Volume 1 Issue 3	
	Full text available: pdf(1.14 MB) Additional Information: full citation, abstract, references, citings	
	Wireless data products and services being proposed today include exotic mixes of services and technologies: packet transport over cellular circuits, facsimile service over Cellular Digital Packet Data (CDPD), voice and video over wireless LANs, and everything in between. Data networking terms that seem to have a clear meaning—data-link, network and transport layers; circuit-mode and datagram; connection-less and connection-oriented—in fact have meaning only in context. Thus TCP,	
13	Best poster papers from MobiHoc 2002. An on-demand minimum energy routing	- -
	protocol for a wireless ad hoc network Sheetalkumar Doshi, Shweta Bhandare, Timothy X Brown June 2002 ACM SIGMOBILE Mobile Computing and Communications Review, Volume 6 Issue 3	
	Full text available: pdf(203.93 KB) Additional Information: full citation, abstract, references, citings, index terms	
•	A minimum energy routing protocol reduces the energy consumption of the nodes in a wireless ad hoc network by routing packets on routes that consume the minimum amount of energy to get the packets to their destination. This paper identifies the necessary features of an <i>on-demand</i> minimum energy routing protocol and suggests mechanisms for their implementation. We highlight the importance of efficient caching techniques to store the minimum energy route information and propose the use of an	
14	AIDA: Adaptive application-independent data aggregation in wireless sensor networks Tian He, Brian M. Blum, John A. Stankovic, Tarek Abdelzaher May 2004 ACM Transactions on Embedded Computing Systems (TECS), Volume 3 Issue 2	
	Full text available: pdf(1.02 MB) Additional Information: full citation, abstract, references, citings, index terms	
	Sensor networks, a novel paradigm in distributed wireless communication technology, have been proposed for various applications including military surveillance and environmental monitoring. These systems deploy heterogeneous collections of sensors capable of observing and reporting on various dynamic properties of their surroundings in a time sensitive manner. Such systems suffer bandwidth, energy, and throughput constraints that limit the quantity of information transferred from end-to-end. The	
	Keywords : Data aggregation, adaptive algorithms, congestion control, energy conservation, feedback control, sensor networks	
15	On-demand multicast routing protocol in multihop wireless mobile networks Sung Ju Lee, William Su, Mario Gerla December 2002 Mobile Networks and Applications, Volume 7 Issue 6	
	Full text available: pdf(248.93 KB) Additional Information: full citation, abstract, references, citings, index terms	
	An ad hoc network is a dynamically reconfigurable wireless network with no fixed infrastructure or central administration. Each host is mobile and must act as a router. Routing and multicasting protocols in ad hoc networks are faced with the challenge of delivering data to destinations through multihop routes in the presence of node movements and topology changes. This paper presents the On-Demand Multicast Routing Protocol (ODMRP) for wireless mobile and hoc networks. ODMRP is a mesh-based, rat	

Keywords: ad hoc networks, mobile computing, multicast, routing

¹⁶ An Object-Oriented Communication Library for Hardware-Software CoDesign Frank Vahid, Linus Tauro March 1997 Proceedings of the 5th International Workshop on Hardware/Software Co-Desian Full text available: pdf(858.92 KB) Additional Information: full citation, abstract, citings Publisher Site Implementing communication between hardware and software components can be a timeconsuming task. Numerous communication protocols are available, differing greatly in their implementation details. Designers must spend much time focusing on those details. Even when libraries are available to encapsulate communication into C or VHDL routines, these routines are not consistent across protocols, making it difficult to switch to other protocols. In this paper, we propose an object-oriented communicat ... Keywords: Communication, Libraries, Object-Oriented, C, VHDL, Codesign 17 PL360, a Programming Language for the 360 Computers Niklaus Wirth January 1968 Journal of the ACM (JACM), Volume 15 Issue 1 Additional Information: full citation, abstract, references, citings, index Full text available: pdf(2.25 MB) terms A programming language for the IBM 360 computers and aspects of its implementation are described. The language, called PL360, provides the facilities of a symbolic machine language, but displays a structure defined by a recursive syntax. PL360 was designed to improve the readability of programs which must take into account specific characteristics and limitations of a particular computer. It represents an attempt to further the state of the art of programming by encouraging and even forcing ... 18 Algorithm 835: MultRoot---a Matlab package for computing polynomial roots and multiplicities Zhonggang Zeng June 2004 ACM Transactions on Mathematical Software (TOMS), Volume 30 Issue 2 Additional Information: full citation, abstract, references, citings, index Full text available: pdf(220.88 KB) terms MultRoot is a collection of Matlab modules for accurate computation of polynomial roots, especially roots with non-trivial multiplicities. As a blackbox-type software, MultRoot requires the polynomial coefficients as the only input, and outputs the computed roots. multiplicities, backward error, estimated forward error, and the structure-preserving condition number. The most significant features of MultRoot are the multiplicity identification capability and high accuracy on multiple roots withou ... Keywords: multiple root, multiple zero, multiplicity identification, polynomial, root-finding 19 Efficient and practical constructions of LL/SC variables Prasad Jayanti, Srdjan Petrovic July 2003 Proceedings of the twenty-second annual symposium on Principles of distributed computing Additional Information: full citation, abstract, references, citings, index

Full text available: pdf(1.10 MB)

terms

Over the past decade, a pair of synchronization instructions known as LL/SC has emerged as the most suitable set of instructions to be used in the design of lock-free algorithms. However, no existing multiprocessor system supports these instructions in hardware. Instead, most modern multiprocessors support instructions such as CAS or RLL/RSC (e.g. POWER4, MIPS, SPARC, IA-64). This paper presents two efficient algorithms that implement 64-bit LL/SC from 64-bit CAS or RLL/RSC. Our results are summ ...

Design and analysis of an algorithm for fair service in error-prone wireless channels Songwu Lu, Thyagarajan Nandagopal, Vaduvur Bharghavan July 2000 Wireless Networks, Volume 6 Issue 4

Full text available: pdf(317.34 KB) Additional Information: full citation, references, citings, index terms


Results 1 - 20 of 77

Result page: 1 2 3 4 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player



Full text available: pdf(664.69 KB)

Additional Information: full citation, abstract, references, citings, index terms

In contrast to wireline communication, the physical bandwidth of RF wireless communication systems is relatively limited and is unlikely to grow significantly in the future. Hence it is advantageous to increase the effective bandwidth of communication channels at the expense of complex processing at both the sending and receiving entities. In this paper we present a real-time, low-area, and low-power VLSI lossless data compressor based on the first Lempel-Ziv algorithm (Ziv and Lempel, 1977 ...

²⁴ Protection

Butler W. Lampson

January 1974 ACM SIGOPS Operating Systems Review, Volume 8 Issue 1

Full text available: pdf(618.75 KB) Additional Information: full citation, abstract, references, citings

Abstract models are given which reflect the properties of most existing mechanisms for enforcing protection or access control, together with some possible implementations. The properties of existing systems are explicated in terms of the model and implementations.

25	Functional reactive programming, continued Henrik Nilsson, Antony Courtney, John Peterson	
	October 2002 Proceedings of the ACM SIGPLAN workshop on Haskell	
	Full text available: pdf(201.05 KB) Additional Information: full citation, abstract, references, citings, index terms	
	Functional Reactive Programming (FRP) extends a host programming language with a notion of time flow. Arrowized FRP (AFRP) is a version of FRP embedded in Haskell based on the arrow combinators. AFRP is a powerful synchronous dataflow programming language with hybrid modeling capabilities, combining advanced synchronous dataflow features with the higher-order lazy functional abstractions of Haskell. In this paper, we describe the AFRP programming style and our Haskell-based implementation. Of pa	
	Keywords : FRP, Haskell, domain-specific languages, functional programming, hybrid modeling, synchronous dataflow languages	
26	Host migration transparency in IP networks: the VIP approach Fumio Teraoka, Mario Tokoro	*******
	January 1993 ACM SIGCOMM Computer Communication Review, Volume 23 Issue 1 Full text available: pdf(1.09 MB) Additional Information: full citation, abstract, citings, index terms	
	Increasing portability of computers will require users in the future to access the network regardless of location. Host migration transparency will be an essential feature of wide area network environments. We proposed the concept of <i>virtual network</i> and the <i>propagating cache method</i> to achieve host migration transparency [12]. We also established the feasibility of Virtual Internet Protocol (VIP), derived from Internet Protocol (IP), as an example of a virtual network protocol. In t	
27	Mobile wireless networks: Adaptive range control using directional antennas in mobile	*********
	ad hoc networks Mineo Takai, Junian Zhou, Rajive Bagrodia September 2003 Proceedings of the 6th ACM international workshop on Modeling analysis and simulation of wireless and mobile systems Full text available: pdf(279.04 KB) Additional Information: full citation, abstract, references, index terms	
	This paper presents ARC (Adaptive Range Control), a communication range control mechanism using directional antennas to be implemented across multiple layers. ARC uses directional reception for range control rather than directional transmission such that extended communication links do not increase interference to other ongoing communications. It adaptively controls the communication range by estimating dynamically changing local network density based on the transmission activities around each n	
	Keywords : cross-layer interactions, directional antenna systems, mobile ad hoc networks	
28	Wireless amd Mobile Networks Performance: EMWIN:: emulating a mobile wireless network using a wired network Pei Zheng, Lionel M. Ni September 2002 Proceedings of the 5th ACM international workshop on Wireless mobile multimedia	
	Full text available: pdf(620.08 KB) Additional Information: full citation, abstract, references, citings, index terms	
	Test and performance evaluation of protocols and algorithms in mobile wireless networks is	

networks, one cannot merely rely on either network simulation or a testbed. Network

emulation provides a controllable and reproducible environment, yet it generally lacks the support for the emulation of network topology and mobility, which are extremely critical in mobile wireless network research. We introduce EMWIN, a ...

Keywords: mobile wireless network, mobility, network emulation, performance evaluation

29	Statistical multiplexing of data and encoded voice in a transparent intelligent network M. E. Ulug, J. G. Gruber	* ********
	September 1977 Proceedings of the fifth symposium on Data communications	
	Full text available: pdf(785.47 KB) Additional Information: full citation, abstract, references, citings, index terms	
	The paper describes the work done thus far in the development of a means of statistically multiplexing data and encoded voice in a transparent and intelligent network called TI-NET. A review of previous work in packetized voice transmission in a conventional packet switched network (ARPANET) has revealed problems related to large fixed and variable transmission delays. These problems result in degradations in speech quality in the form of time scale distortion and gaps due to very late or I	
30	Formal verification of a real-time hardware design	
	Zerksis D. Umrigar, Vijay Pitchumani	
	June 1983 Proceedings of the 20th conference on Design automation	
	-	
	Full text available: pdf(604.28 KB) Additional Information: full citation, abstract, references, citings, index terms	
	As hardware systems continue to grow more complex, formal methods for their design and verification become increasingly important. In this paper, we develop the design and formal specifications for the receiver section of an Universal Asynchronous Receiver/Transmitter. Though no mechanical verification has been done, such a development methodology is essential for formal verification. The emphasis here is on transforming informal specifications into formal ones, and showing how these formal	
31	Soar/PSM-E: investigating match parallelism in a learning production sytsem	********
	Milind Tambe, Dirk Kalp, Anoop Gupta, Charles Forgy, Brian Milnes, Allen Newell January 1988 ACM SIGPLAN Notices, Proceedings of the ACM/SIGPLAN conference on Parallel programming: experience with applications, languages and	
	systems, Volume 23 Issue 9	
	Full text available: pdf(1.50 MB) Additional Information: full citation, abstract, references, citings, index terms	
	Soar is an attempt to realize a set of hypotheses on the nature of general intelligence within a single system. Soar uses a production system (rule based system) to encode its knowledge base. Its learning mechanism, chunking, adds productions continuously to the production system. The process of searching for relevant knowledge, matching, is known to be a performance bottleneck in production systems. PSM-E is a C-based implementation of the OPS5 production system on the Enc	
32	Unified geometric modeling by non-manifold about apparation	
	Unified geometric modeling by non-manifold shell operation Masatake Higashi, Hideki Yatomi, Yoshihiro Mizutani, Shin-ichi Murabata	
	June 1993 Proceedings on the second ACM symposium on Solid modeling and	
	applications	
	Full text available: pdf(1.12 MB) Additional Information: full citation, references, citings, index terms	

	A framework for designing and implementing the Ada standard container library	***************************************
	Jordi Marco, Xavier Franch December 2003 ACM SIGAda Ada Letters, Proceedings of the 2003 annual ACM SIGAda international conference on Ada: the engineering of correct and reliable software for real-time & distributed systems using ada and related technologies, Volume XXIV Issue 1	
	Full text available: pdf(249.09 KB) Additional Information: full citation, abstract, references, index terms, review	
	An open issue of the Ada language is the definition of a standard container library. Containers in this library (e.g., sets, maps and lists) shall offer some core functionalities that characterise their behaviour (i.e., different strategies for managing the elements stored therein) as well as other general functionalities. Among these general functionalities, we are interested in alternative ways for accessing the containers, namely direct access by position and traversals using iterators. In th	
	Keywords: access by position, container libraries, iterators, quality models	,
34	Driving me nuts: revisiting old APIs Greg Kroah-Hartman October 2003 Linux Journal, Volume 2003 Issue 114	
	Full text available: html(11.43 KB) Additional Information: full citation	
35	GAMS: a framework for the management of scientific software Ronald F. Boisvert, Sally E. Howe, David K. Kahaner December 1985 ACM Transactions on Mathematical Software (TOMS), Volume 11 Issue 4	
	Full text available: pdf(2.83 MB) Additional Information: full citation, abstract, references, citings, index terms, review	
	The Guide to Available Mathematical Software (GAMS) provides a framework for both a scientist-end-user and a librarian-maintainer to deal with large quantities of mathematical and statistical software. This framework includes a classification scheme for mathematical and statistical software, a database system to manage information about this software, and both an on-line interactive consulting system and a printed catalog for providing users with access to this information. A description is	
36	Automatic generation of machine specific code optimizers Robert Giegerich	
	January 1982 Proceedings of the 9th ACM SIGPLAN-SIGACT symposium on Principles of programming languages Full text available: pdf(459,81 KB) Additional Information: full citation, references, citings	
37	Fair scheduling in wireless packet networks Songwu Lu, Vaduvur Bharghavan, Rayadurgam Srikant October 1997 ACM SIGCOMM Computer Communication Review, Proceedings of the ACM SIGCOMM '97 conference on Applications, technologies, architectures, and protocols for computer communication, Volume 27 Issue 4 Full text available: pdf(2.17 MB) Additional Information: full citation, abstract, references, citings, index	
	Fair scheduling of delay and rate-sensitive packet flows over a wireless channel is not addressed effectively by most contemporary wireline fair scheduling algorithms because of	


two unique characteristics of wireless media: (a) bursty channel errors, and (b) locationdependent channel capacity and errors. Besides, in packet cellular networks, the base station typically performs the task of packet scheduling for both downlink and uplink flows in a cell; however a base station has only a limited k ...

38	Rednet: a wireless ATM local area network using infrared links	
	J. H. Condon, T. S. Duff, M. F. Jukl, C. R. Kalmanek, B. N. Locanthi, J. P. Savicki, J. H. Venutolo	
	December 1995 Proceedings of the 1st annual international conference on Mobile	
	computing and networking	
	Full text available: pdf(1.27 MB) Additional Information: full citation, references, citings, index terms	
	·	_
39	Dynamic path-based software watermarking	
	C. Collberg, E. Carter, S. Debray, A. Huntwork, J. Kececioglu, C. Linn, M. Stepp	
	June 2004 ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN 2004 conference on Programming language design and implementation, Volume 39 Issue 6	•
	Full text available: pdf(282.11 KB) Additional Information: full citation, abstract, references, index terms	
	Software watermarking is a tool used to combat software piracy by embedding identifying information into a program. Most existing proposals for software watermarking have the shortcoming that the mark can be destroyed via fairly straightforward semantics-preserving code transformations. This paper introduces path-based watermarking, a new approach to software watermarking based on the dynamic branching behavior of programs. The advantage of this technique is that error-correcting and tamper-proo	
	Keywords: software piracy, software protection, watermarking	
4 0	V d troop for comid-momio point coto	_
•	K-d trees for semidynamic point sets Jon Louis Bentley	
	May 1990 Proceedings of the sixth annual symposium on Computational geometry	
	Full text available: pdf(928.78 KB) Additional Information: full citation, abstract, references, citings, index terms	
	A K-d tree represents a set of N points in K-dimensional space. Operations on a semidynamic tree may delete and undelete points, but may not insert new points. This paper shows that several operations that require &Ogr (log N) expected time in general K-d trees may be performed in constant expected time in semidynamic trees. These operations include deletion, undeletion, ne	

Results 21 - 40 of 77 Result page: previous 1 2 3 4

> The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

> Useful downloads: Adobe Acrobat QuickTime Windows Media Player



43 Session I: QoS in ad hoc and infra-structure based wireless networks: Voice transmission in an IEEE 802.11 WLAN based access network Andreas Köpsel, Adam Wolisz July 2001 Proceedings of the 4th ACM international workshop on Wireless mobile

Frank Huch

Full text available: pdf(1.40 MB)

multimedia

Full text available: pdf(246.56 KB) Additional Information: full citation, abstract, references, index terms

IEEE 802.11 contains a mechanism for transmission of data with realtime constraints known as Point Coordination Function. This supplementary medium access protocol resides on top of the basic medium access mechanism Distributed Coordination Function and uses a centralized polling approach. Due to the complexity of a PCF implementation and the predicted inefficiency of the PCF several proposals have been presented for providing QoS support without the need of a centralized sc ...

Keywords: DCF, IEEE 802.11, PCF, WLAN, best-effort, real-time, scheduling, voice transmission

14	System architecture of parallel processing system -Harry- H. Yamana, T. Marushima, T. Hagiwara, Y. Muraoka June 1988 Proceedings of the 2nd international conference on Supercomputing	5445
	Full text available: pdf(1.54 MB) Additional Information: full citation, abstract, references, citings, index terms	
	This paper proposes a parallel processing system -Harray- for scientific computations. Data flow computers are expected to obtain the high performance because they can extract parallelism fully from a program. However, they have many problems, such as the difficulty of controlling the sequence of execution. The -Harray- system is an array processor which adapts two levels of control mechanism; data flow execution in each processor and control flow between processors, in order to take full a	
45	Session A: Routing: LANMAR: landmark routing for large scale wireless ad hoc	
	networks with group mobility	
	Guangyu Pei, Mario Gerla, Xiaoyan Hong November 2000 Proceedings of the 1st ACM international symposium on Mobile ad hoc	
	networking & computing	
	Full text available: pdf(670.36 KB) Additional Information: full citation, abstract, references, citings	
	In this paper, we present a novel routing protocol for wireless ad hoc networks - Landmark Ad Hoc Routing (LANMAR). LANMAR combines the features of Fisheye State Routing (FSR) and Landmark routing. The key novelty is the use of landmarks for each set of nodes which move as a group (e.g., a team of co-workers at a convention or a tank battalion in the battlefield) in order to reduce routing update overhead. Like in FSR, nodes exchange link state only with their neighbors. Routes within Fisheye sc	
46	Verification of Erlang programs using abstract interpretation and model checking	

We present an approach for the verification of Erlang programs using abstract interpretation and model checking. In general model checking for temporal logics like LTL and Erlang programs is undecidable. Therefore we define a frame-work for abstract interpretations for a core fragment of Erlang. In this framework it is guaranteed, that the abstract operational semantics preserves all paths of the standard operational semantics. We consider properties that have to hold on all paths of a system, I ...

international conference on Functional programming, Volume 34 Issue 9

terms

Additional Information: full citation, abstract, references, citings, index

September 1999 ACM SIGPLAN Notices, Proceedings of the fourth ACM SIGPLAN

Keywords: Erlang, abstract interpretation, distributed system, model checking, verification

47	Volume thinning for automatic isosurface propagation Takayuki Itoh, Yasushi Yamaguchi, Koji Koyamada October 1996 Proceedings of the 7th conference on Visualization '96	
	Full text available: Additional Information: full citation, references, citings, index terms Publisher Site	
48	Precision-sensitive Euclidean shortest path in 3-space (extended abstract) Joonsoo Choi, Jürgen Sellen, Chee-Keng Yap	
	September 1995 Proceedings of the eleventh annual symposium on Computational	
	geometry Full text available: pdf(901.09 KB) Additional Information: full citation, references, citings, index terms	
49	A customizable substrate for concurrent languages Suresh Jagannathan, Jim Philbin July 1992 ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN 1992 conference	
	on Programming language design and implementation, Volume 27 Issue 7 Additional Information: full citation, abstract, references, citings, index	
	Full text available: pdf(1.45 MB) Additional information: full citation, abstract, references, citings, index terms	
	We describe an approach to implementing a wide-range of concurrency paradigms in high-level (symbolic) programming languages. The focus of our discussion is STING, a dialect of Scheme, that supports lightweight threads of control and virtual processors as first-class objects. Given the significant degree to which the behavior of these objects may be customized, we can easily express a variety of concurrency paradigms and linguistic structures within a common framework without loss of effici	
50	Energy consumption of TCP in ad hoc networks H. Singh, S. Saxena, S. Singh September 2004 Wireless Networks, Volume 10 Issue 5	
	Full text available: pdf(424.77 KB) Additional Information: full citation, abstract, references, index terms	
	In this paper we study the energy cost (protocol processing and communication cost) and goodput of different flavors of TCP (Transmission Control Protocol) in ad hoc networks. We implemented a testbed and measured the actual energy cost as well as goodput of running TCP Reno, Newreno, SACK (Selective ACKnowledgement) and a version that combines Explicit Link Failure Notification (ELFN) [7] and Explicit Congestion Notification (ECN) [5] in Newreno. We see that the use of ECN & ELFN does yield	
	Keywords: TCP, ad hoc, energy consumption, wireless	
51	Modelling knowledge for a natural language: understanding system Gudrun Klose, Thomas Pirlein April 1991 Proceedings of the fifth conference on European chapter of the Association for Computational Linguistics Full text available: pdf(540.38 KB) Additional Information: full citation, abstract, references	
	Publisher Site	
	In the field of knowledge based systems for natural language processing, one of the most challenging aims is to use parts of an existing knowledge base for different domains and/or	

different tasks. We support the point that this problem can only be solved by using adequate metainformation about the content and structuring principles of the representational systems concerned. One of the prerequisites in this respect is the transparency of modelling decisions. After a short introduction to our scen ...

52	Language-independent aspect-oriented programming	
	Donal Lafferty, Vinny Cahill October 2003 ACM SIGPLAN Notices, Proceedings of the 18th annual ACM SIGPLAN conference on Object-oriented programing, systems, languages, and applications, Volume 38 Issue 11	
	Full text available: pdf(1.26 MB) Additional Information: full citation, abstract, references, citings, index terms	
	The term aspect-oriented programming (AOP) has come to describe the set of programming mechanisms developed specifically to express crosscutting concerns. Since crosscutting concerns cannot be properly modularized within object-oriented programming, they are expressed as aspects and are composed, or woven, with traditionally encapsulated functionality referred to as components. Many AOP models exist, but their implementations are typically coupled with a single language. To allow weaving of exist	
	Keywords : Weave.NET, aspect-oriented programming, common language infrastructure, language-independence	
53	Design of an Oncology Clinical Information System	
	Bruce I. Blum, Raymond E. Lenhard January 1977 Proceedings of the 1977 annual conference	kapanan
	Full text available: pdf(547.78 KB) Additional Information: full citation, abstract, references, index terms	
	The use of complex multimodality treatment plans and the necessity for detailed, precisely timed collection of measurements of tumor response, drug toxicity, biochemical markers, and other specific parameters of therapeutic evaluation has created the need for a clinically oriented data system which can assist the oncologist in the organization, collection, and analysis of multiple pieces of research and treatment related data. To serve this need, a prototype computer - based system is in ro	
54	A digital video display system implemented on a KIM-1 microcomputer N. Solntseff, M. D. Drummond September 1980 Proceedings of the 3rd ACM SIGSMALL symposium and the first SIGPC symposium on Small systems Full text available: pdf(623.80 KB) Additional Information: full citation, abstract, references, index terms	
	The "microelectronic revolution" and the accompanying decrease in the cost of semiconductor memory has increased the availability of raster-scan graphical displays, yet, as pointed out in a recent survey [BAE79], the implementation of graphics software for raster-scan systems has lagged behind that for random-scan ones. The aim of the work described in the present paper has been to apply random-scan techniques to a system employing a relatively inexpensive raster-scan device. Th	
	Keywords : Computer animation, Digital video-graphics, Display file, Display file processor, Low-cost graphics, Random-scan graphics	
55	MCTS customer task environment R. R. Brown October 1975 ACM SIGOPS Operating Systems Review, Volume 9 Issue 4	

	Full text available: pdf(2.04 MB) Additional Information: full citation, references	
56	gIBIS: a hypertext tool for exploratory policy discussion Jeff Conklin, Michael L. Begeman January 1988 Proceedings of the 1988 ACM conference on Computer-supported cooperative work	
	Full text available: pdf(1.48 MB) Additional Information: full citation, abstract, references, citings, index terms	
	This paper describes an application specific hypertext system designed to facilitate the capture of early design deliberations. It implements a specific method, called Issue Based Information Systems (IBIS), which has been developed for use on large, complex design problems. The hypertext system described here, gIBIS (for graphical IBIS), makes use of color and a high speed relational database server to facilitate building and browsing typed IBIS networks. Further, gIBIS is designed to supp	
57	Special issue on spatial database systems: Management of multidimensional discrete data	700000
	Peter Baumann October 1994 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 3 Issue 4 Full text available: pdf(2.30 MB) Additional Information: full citation, abstract, references, citings	
	Spatial database management involves two main categories of data: vector and raster data. The former has received a lot of in-depth investigation; the latter still lacks a sound framework. Current DBMSs either regard raster data as pure byte sequences where the DBMS has no knowledge about the underlying semantics, or they do not complement array structures with storage mechanisms suitable for huge arrays, or they are designed as specialized systems with sophisticated imaging functionality, but n	
	Keywords : Multimedia database systems, image database systems, spatial index, tiling	
58	Network Games: Coordinated CPU and event scheduling for distributed multimedia	
	<u>applications</u> Christian Poellabauer, Karsten Schwan, Richard West October 2001 Proceedings of the ninth ACM international conference on Multimedia	
	Full text available: pdf(959.14 KB) Additional Information: full citation, abstract, references, citings, index terms	
	Distributed multimedia applications require support from the underlying operating system to achieve and maintain their desired Quality of Service (QoS). This has led to the creation of novel task and message schedulers and to the development of QoS mechanisms that allow applications to explicitly interact with relevant operating system services. However, the task scheduling techniques developed to date are not well equipped to take advantage of such interactions. As a result, important events su	
	Keywords: multimedia, quality of Service, scheduling	
59	Multiprogram scheduling: parts 3 and 4. scheduling algorithm and external constraints E. F. Codd July 1960 Communications of the ACM, Volume 3 Issue 7	
	Full text available: pdf(783.19 KB) Additional Information: full citation, abstract, references, citings	

The scheduling algorithm examines the programs to be scheduled one by one and places their component rectangles in the corresponding load diagrams according to a set of placement rules.

60 Almost Internet with SLiRP and PPP

Jim Knoble

April 1996 Linux Journal

Full text available: html(32.64 KB) Additional Information: full citation, abstract, index terms


Jim guides the neophyte through installing and using SLiRP, a freely available software package which makes an ordinary shell account act like a SLIP or PPP account.

Results 41 - 60 of 77

Result page: previous 1 2 3 4 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Will Windows Media Player Real Player



	January 1995 Proceedings of the first symposium on Virtual reality modeling language			
	Full text available: pdf(640.83 KB) Additional Information: full citation, references, citings, index terms			
66	The butterfly satellite IMP for the wideband packet satellite network W Edmond, S Bumenthal, A Echenique, S Storch, T Calderwood August 1986 ACM SIGCOMM Computer Communication Review, Proceedings of the ACM SIGCOMM conference on Communications architectures & protocols, Volume 16 Issue 3			
	Full text available: pdf(1.04 MB) Additional Information: full citation, abstract, references, citings, index terms			
	Multiprocessor computer systems have proven effective as high performance switching nodes in packet switched data communications networks. They are well suited to performing the required queuing, routing, and scheduling tasks, and can scale upward to provide higher system throughput when combined with software that exploits the parallelism provided by the hardware. This paper describes the packet switch used in the DARPA Wideband Packet Satellite Network and the Butterfly™ Multiproces			
67	Organized C: A unified method of handling data in CAD algorithms and databases Jiri Soukup			
	January 1991 Proceedings of the 27th ACM/IEEE conference on Design automation			
	Full text available: pdf(760.50 KB) Additional Information: full citation, abstract, references, citings, index terms			
•	This paper describes a data management package called Organized C. The main feature of this package are simple and compact declarations which translates organizations into the definition of classes, pointers, and access functions. This method adds a new dimension to the inheritance mechanism, works with both C and C++, and is specifically useful for CAD software which often deals with large and complex data. It also leads to a unified coding style for algorithms and memory resident database			
68	Design methodology management—a CAD framework initiative perspective Kenneth W. Fiduk, Sally Kleinfeldt, Marta Kosarchyn, Eileen B. Perez January 1991 Proceedings of the 27th ACM/IEEE conference on Design automation			
	Full text available: pdf(739.34 KB) Additional Information: full citation, abstract, references, citings, index terms			
	The design of today's electronic systems involves the use of a growing number of complex CAD tools. Invoking and controlling these tools, independently or as part of a captured, multi-operation flow, remains an error-prone and largely unsolved problem. This problem is the focus of the Design Methodology Management Technical Subcommittee (DMMTSC) of the CAD Framework Initiative. This paper describes the DMM problem, establishes DMM requirements, and presents the state of the DMMTSC effort to			
69	Radio resource management: A wireless traffic probe for radio resource management and QoS provisioning in IEEE 802.11 WLANs			
	Mark Davis October 2004 Proceedings of the 7th ACM international symposium on Modeling, analysis and simulation of wireless and mobile systems			
	Full text available: pdf(451.50 KB) Additional Information: full citation, abstract, references, index terms			
	The emergence of real-time services such as voice over IP (VoIP) and video streaming, imposes stringent requirements on the performance of a network if quality of service (QoS) targets are to be achieved. In the case of wireless networks, some form of radio resource management (RRM) is typically required to allocate the available resources among the			


contending stations in accordance with their needs and respective priorities. A critical aspect of any RRM scheme is the ability to monitor resource ...

Keywords: Wi-Fi, radio resource management, traffic probe

70	No. 1A ESS Laboratory Support System - erasable flag facility				
	Buyansky, Donald V., Schatz, James W.				
	September 1982 Proceedings of the 6th international conference on Software				
	engineering Full text available: pdf(623.35 KB) Additional Information: full citation, abstract, references, index terms				
	A Laboratory Support System (LSS) is provided in all No. 1A Electronic Switching System (ESS) test laboratories to support the ESS software development process. The LSS tools are utilized by the developers to accomplish ESS program database management, lab load administration, lab load generation, and program testing and debugging in the laboratory environment. This document describes one of the LSS testing and debugging tools: the No. 1A ESS Laboratory Erasable Flag System. This facility i				
71	Evolutionary testing in the presence of loop-assigned flags: a testability transformation				
	approach André Baresel, David Binkley, Mark Harman, Bogdan Korel July 2004 ACM SIGSOFT Software Engineering Notes, Proceedings of the 2004 ACM SIGSOFT international symposium on Software testing and analysis, Volume 29 Issue 4				
	Full text available: pdf(241.32 KB) Additional Information: full citation, abstract, references, index terms				
	Evolutionary testing is an effective technique for automatically generating good quality test data. However, for structural testing, the technique degenerates to random testing in the presence of flag variables, which also present problems for other automated test data generation techniques. Previous work on the flag problem does not address flags assigned in loops. This paper introduces a testability transformation that transforms programs with loopassigned flags so that existing genetic appro				
	Keywords: empirical evaluation, evolutionary testing, flags, testability transformation				
72	The effect of compiler-flag tuning on SPEC benchmark performance Yin Chan, Ashok Sudarsanam, Andrew Wolfe September 1994 ACM SIGARCH Computer Architecture News, Volume 22 Issue 4	***************************************			
	Full text available: pdf(1.03 MB) Additional Information: full citation, abstract, index terms				
	The SPEC CINT92 and CFP92 benchmark suites are application-based system benchmarks primarily intended for workstation-class system performance measurements. The SPEC CPU benchmark results are widely disseminated by system vendors and as such have become the de-facto standard for comparing system performance. Recently, many observers have expressed concerns about the suitability of published SPEC benchmark results in representing application performance on typical systems. The most outspoken conc				
73	Using the flag taxonomy to study hypermedia system interoperabilty				
	Uffe Kock Wiil, Kasper Østerbye May 1998 Proceedings of the ninth ACM conference on Hypertext and hypermedia: links, objects, time and spacestructure in hypermedia systems: links, objects, time and spacestructure in hypermedia systems				
	Full text available: pdf(1.30 MB) Additional Information: full citation, references, citings, index terms				

74 A web-based multimedia database for national flag application Longzhuang Li, Dehu Qi, Xinqi Zhang							
October 2004 Journal of Computing Sciences in Colleges, Volume 20 Issue 1							
Full text available: pdf(5/7.56 KB)	Additional Information: full citation, abstract, references						
theory and practical skills req Generally, at Texas A&M Univ in the DBMS class are text-ba project in which students imp	anagement systems (DBMS) class, we teach students the uired to create efficient Web-based database systems. ersity-Corpus Christi and Lamar University, the projects done sed database systems. However, in this paper we describe a lement a Web-based multimedia database for the national flag and implementation of the multimedia						
Kasper Østerbye, Uffe Kock Wiil	75 The flag taxonomy of open hypermedia systems Kasper Østerbye, Uffe Kock Wiil						
	the seventh ACM conference on Hypertext						
Full text available: pdf(1.20 MB)	Additional Information: full citation, references, citings, index terms						
Keywords : Dexter model, in third-party viewers	tegration, link protocol, open hypermedia systems, taxonomy,						
76 An analysis of algorithms for t	he Dutch National Flag Problem						
Colin L. McMaster	of Alban A Charles						
October 1978 Communications	·						
Full text available: pdf(435.54 KB)	Additional Information: <u>full citation</u> , <u>abstract</u> , <u>references</u> , <u>citings</u> , <u>index</u> <u>terms</u>						
Solutions to the Dutch National Flag Problem have been given by Dijkstra [1] and Meyer [3]. Dijkstra starts with a simple program and arrives at an improved program by refinement. Both of the algorithms given by Dijkstra are shown to have an expected number of swaps which is 2/3N + &thgr(1) and that these values differ at most by 1/3 of a swap and asymptotically by 1/4 of a swap. The algorithm of Meyer is shown to have expected swap complexity 5/9 N							
Keywords: Dutch National F programming	lag Problem, algorithmic analysis, refinement, structured						
77 The Dutch national flag proble Kathie A. Yerion June 1994 ACM SIGCSE Bulletin	em revisited as an introductory abstract data type n, Volume 26 Issue 2						
Full text available: 🌇 pdf(455.55 KB)	Additional Information: full citation, abstract, index terms						
In Computer Science 2 or Data Structures courses, a major topic is the concept of an abstract data type (ADT). Students often have difficulty grasping this concept in the beginning because of the abstractness of "a data object with operations performed on the object." [2] An abstract data type based on a robot sorting pebbles gives students much needed concreteness for their initial exposure.							
Results 61 - 77 of 77	Result page: previous 1 2 3 4						

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us



Web

Results 1 - 4 of 4 for "cts flag" "status" "indicator". (0.25 seconds)

Tip: Try removing quotes from your search to get more results.

CowBite Virtual Harware Spec

... sound enable and Sound 1-4 play status)(Partially Implemented in CowBite) ... When CTS flag is set to always/blindly, then the sender transmits data ... www.cs.rit.edu/~tjh8300/CowBite/CowBiteSpec.htm - 202k - <u>Cached</u> - <u>Similar pages</u>

Sony Ericsson P900 and Linux

- ... if you get "CONNECT" on the kppp status window but you see that on the P900
- ... If you use kppp, don't forget to disable the RTS/CTS flag on the P900 ... www.alfonsomartone.itb.it/bauodg.html 118k <u>Cached</u> <u>Similar pages</u>

[PDF] Part E: Reference & Utilities

File Format: PDF/Adobe Acrobat - View as HTML

... The Map CTS flag enables modem control on the EasylO8-M by utilising ... Check status of modem indicator lights, especially DTR, TXD and ...

www.stallion.com.au/html/ userdoc/easyio/eio_reference.pdf - Similar pages

[Doc] Document3

File Format: Microsoft Word 2000 - View as HTML

... If the aircraft ICAO address is found in the table, the link **status** shall be ... Request is not supported, the aircraft radio shall provide an **indicator** for the ... www.icao.int/anb/panels/ amcp/wg/M/Wgm5wp/Wgm5wp%5CWGM508.doc - Supplemental Result -

www.icao.int/anb/panels/ amcp/wg/M/Wgm5wp/Wgm5wp%5CWGM508.doc - Supplemental Result - Similar pages

Free! Get the Google Toolbar. Download Now - About Toolbar

Coogle •	✓ G Search • Ø Ø 277 blocked Aby Check • Autosink • AutoFili
	ç
	"cts flag" "status" "indicator" Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Web <u>Images</u> <u>News</u> Froogle Local more »

'cts flag" Search "status

Advanced Search **Preferences**

Web

Results 1 - 9 of about 10 for "cts flag" "status" "confirm". (1.28 seconds)

(PDF) MSAN-178

File Format: PDF/Adobe Acrobat - View as HTML

... GA flag (CTS flag = 0111111110 = 7F +'0') and. enable RxCEN for 2 bits per frame during channel ... read of HRA Status register 1 should confirm that the ...

www.eetkorea.com/ARTICLES/ 2002DEC/2002DEC04 NTEK_MSD_AN.PDF - Similar pages

E代电子

... detection of the RTS flag by the auto-hunt circuit, it will send a GA flag (CTS flag = 011111110 = 7F ... A read of HRA Status register 1 should confirm that the ... www.etime.net.cn/news/20040907/1717188.htm - 32k - Supplemental Result - Cached - Similar pages

Sony Ericsson P900 and Linux

... if you get "CONNECT" on the kppp status window but you see that on the P900

... If you use kppp, don't forget to disable the RTS/CTS flag on the P900 ... www.alfonsomartone.itb.it/bauodg.html - 118k - Cached - Similar pages

CowBite Virtual Harware Spec

... sound enable and Sound 1-4 play status)(Partially Implemented in CowBite) ... When CTS flag is set to always/blindly, then the sender transmits data ... www.cs.rit.edu/~tih8300/CowBite/CowBiteSpec.htm - 202k - Cached - Similar pages

[PDF] Part E: Reference & Utilities

File Format: PDF/Adobe Acrobat - View as HTML

- ... Status Line displays a message to that effect. <ESC> removes the help. screen.
- ... The Map CTS flag enables modem control on the EasyIO8-M by utilising ... www.stallion.com.au/html/ userdoc/easyio/eio reference.pdf - Similar pages

Specifications

... When CTS flag is set to always/blindly, then the sender transmits data ... Whenever the CPU enters an exception, the current status register (CPSR) is ... www.akkit.org/info/gbatek.htm - 345k - Cached - Similar pages

(PDF) GUIDANCE MATERIAL SUPPORTING VDL MODE 3 (4 April 1996)

File Format: PDF/Adobe Acrobat - View as HTML

... leaving net message. Parameters: Ground station code Local user identifier 3.5.2.1.3 Poll status. MA POLLSTATUS.information is the ...

www.icao.int/anb/panels/amcp/Meetings/amcp4/item-4f.pdf - Supplemental Result - Similar pages

poci Document3

File Format: Microsoft Word 2000 - View as HTML

... See attached for specific changes to TM. WG-M Status: PROPOSED 19/8/02. ... See attached for specific changes to TM. WG-M Status: PROPOSED 19/8/02. ... www.icao.int/anb/panels/ amcp/wg/M/Wgm5wp/Wgm5wp%5CWGM508.doc - Supplemental Result -Similar pages

GBATEK Gameboy Advance Technical Info - Extracted from no \$gba ...


... When CTS flag is set to always/blindly, then the sender transmits data ... to read/confirm the content of the changed memory area by software. ...

nocash.emubase.de/gbatek.txt - 308k - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Get the Google Toolbar. <u>Download Now - About Toolbar</u>



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(clear<in>metadata) <and> (send<in>metadata) <and> (flag<in>meta..." Your search matched 0 of 1164322 documents.

∭e-nwii

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» View Session History

» New Search

Modify Search

» Key

IEEE JNL IEEE Journal or

Magazine IEE Journal or

Magazine

☐ Check to search only within this results set

(clear<in>metadata) <and> (send<in>metadata) <and> (flag<in>metadata)

IEEE

IEEE Conference

CNF

Proceeding

IEE JNL

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD

IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help Contact Us Privacy &:

© Copyright 2005 IEEE -

indexed by # inspec



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(cts <in>metadata</in>) <and></and>	(flag <in>metadata)"</in>
Your search matched 0 of 11643	22 docu	ments

∭e-naii

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» View Session History

» New Search

Modify Search

» Key

IEEE JNL IEEE Journal or

Magazine

☐ Check to search only within this results set

(cts<in>metadata) <and> (flag<in>metadata)

IEE JNL IEEE

CNF

IEE Journal or Magazine

IEEE Conference

Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE

IEEE Standard STD

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help Contact Us Privacy &:

© Copyright 2005 IEEE -

indexed by # inspec